```
<!--StartFragment-->RESULT 1
AAY95782
     AAY95782 standard; protein; 626 AA.
ΙD
XX
AC
     AAY95782;
                                                     APPENDIX A
XX
DT
     15-JUN-2007 (revised)
DT
     07-NOV-2000 (first entry)
XX
     Erysipelothrix rhusiopathiae erysipelas protective antigen.
DE
XX
KW
     Erysipelas protective antigen; Epa; SpaA.1; vacine; infection;
ΚW
     immuno-protective epitope; BOND_PC; surface protective antigen SpaA;
KW
     surface protective antigen SpaA [Erysipelothrix rhusiopathiae];
KW
     protective antigen SpaA.1;
ΚW
     protective antigen SpaA.1 [Erysipelothrix rhusiopathiae]; spaA;
KW
     spaA [Erysipelothrix rhusiopathiae]; GO5215; GO6810.
XX
OS
     Erysipelothrix rhusiopathiae.
XX
FΗ
     Key
                     Location/Qualifiers
FT
     Peptide
                      1. .29
FT
                      /label= Signal_peptide
FT
     Protein
                      30. .626
                      /label= Mature_protein
FT
FT
     Region
                      50. .55
                      /note= "LPXTGX motif"
FT
FT
                      448. .467
     Peptide
FΤ
                      /label= Repeat_R1
FT
     Peptide
                      468. .487
FT
                      /label= Repeat_R2
FT
     Peptide
                      488. .507
FT
                      /label= Repeat_R3
FT
                      508. .527
     Peptide
FΤ
                      /label= Repeat_R4
                      528. .547
FT
     Peptide
                      /label= Repeat_R5
FT
                      548. .567
FT
     Peptide
                      /label= Repeat_R6
FT
FT
                      568. .587
     Peptide
FT
                      /label= Repeat_R7
{\rm FT}
     Peptide
                      588. .607
FT
                      /label= Repeat_R8
FT
     Peptide
                      608. .626
FT
                      /label= Repeat_R9
XX
     WO200047744-A1.
PN
XX
     17-AUG-2000.
PD
XX
PF
     10-FEB-2000; 2000WO-US003789.
XX
PR
     10-FEB-1999;
                    99US-0119389P.
XX
PA
     (UYRQ ) UNIV ROCKEFELLER.
XX
     Fischetti VA, Shimoji Y;
PΙ
XX
DR
     WPI; 2000-524541/47.
DR
     N-PSDB; AAA50205.
DR
     PC:NCBI; gi4586910.
XX
PΤ
     Vaccines for protecting turkeys and pigs against Erysipelothrix
PT
     rhusiopathiae infections comprising a polypeptide sequence from the N-
PΤ
     terminal region of an erysipelas protective antigen.
XX
PS
     Claim 2; Fig 2; 61pp; English.
```

```
XX
CC
    The present sequence is that of the erysipelas protective antigen (Epa or
CC
    SpaA.1) of Erysipelothrix rhusiopathiae strain Fujisawa, as deduced from
CC
    an isolate Epa gene (see AAA50205). E. rhusiopathiae is the causative
CC
    agent of erysipelas in animals and erysipeloid in humans. Epa shows
CC
    structural and sequence similarities to pneumococcal surface protein A
    (PspA) and other choline binding proteins of Streptococcus pneumoniae.
CC
CC
    Its C-terminal region consists of a series of conserved 20-amino acid
CC
    repeats (R1-R9). The N-terminal portion of the Epa protein, especially a
CC
    polypeptide comprising residues 12-195 of the present sequence, was
CC
    identified as a vaccine antigen, protecting mice and pigs from a lethal
CC
    challenge with E. rhusiopathiae. Vaccines containing immunogenic
CC
    polypeptides of E. rhusiopathiae, where the immunogenic polypeptide
CC
    comprises an immuno-protective epitope from the N-terminal region of Epa,
CC
    especially residues 30-447, 30-195 or 30-100 of the present sequence, are
CC
    claimed. A claimed method for protecting an animal, especially a turkey
CC
    or pig, from infection by E. rhusiopathiae involves administering the
CC
    vaccine, or an expression vector comprising a nucleic acid encoding the N
CC
    -terminal portion or ful-length Epa. A claimed method for detecting the
CC
    presence of protective antibodies to E. rhusiopathiae involves detecting
CC
    binding of antibodies in a biological sample with a polypeptide
CC
    comprising an immunoprotective epitope of Epa
CC
CC
    Revised record issued on 15-JUN-2007: Enhanced with precomputed
CC
    information from BOND.
XX
SQ
    Sequence 626 AA;
 Query Match
                      100.0%; Score 3265; DB 1; Length 626;
 Best Local Similarity
                      100.0%; Pred. No. 2.4e-215;
 Matches 626; Conservative
                            0; Mismatches
                                           0; Indels
                                                           Gaps
                                                                  0;
          1 MKKKKHLFPKVSLMSCLLLTAMPLQTAFADSTDISVIPLIGEQVGLLPVLPGTGVHAQEY 60
Qу
            1 MKKKKHLFPKVSLMSCLLLTAMPLQTAFADSTDISVIPLIGEQVGLLPVLPGTGVHAQEY 60
Db
         61 NKMTDAYIEKLVSLINQKVKPFLINEPKGYQSFEAVNEEINSIVSELKNEGMSLQNIHHM 120
Qу
            61 NKMTDAYIEKLVSLINQKVKPFLINEPKGYQSFEAVNEEINSIVSELKNEGMSLQNIHHM 120
Db
        121 FKQSIQNLATRIGYRSFMQDAMYLENFERLTIPELDEAYVDLLVNYEVKHRILVKYEGKV 180
Qу
            Db
        121 FKQSIQNLATRIGYRSFMQDAMYLENFERLTIPELDEAYVDLLVNYEVKHRILVKYEGKV 180
        181 KGRAPLEAFIVPLRDRIRSMNEIAAEVNYLPEAHEDFLVSDSSEYNDKLNNINFALGLGV 240
Qу
            181 KGRAPLEAFIVPLRDRIRSMNEIAAEVNYLPEAHEDFLVSDSSEYNDKLNNINFALGLGV 240
Db
        241 SEFIDYNRLENMMEKELHPLYLELYAMRRNRQIQVVRDVYPNLERANAVVESLKTIKDIK 300
Qу
            241 SEFIDYNRLENMMEKELHPLYLELYAMRRNRQIQVVRDVYPNLERANAVVESLKTIKDIK 300
Db
        301 QRGKKLQELLEIYIQRSGDVRKPDVLQRFIGKYQSVVDEEKNKLQDYLESDIFDSYSVDG 360
Qу
            301 QRGKKLQELLEIYIQRSGDVRKPDVLQRFIGKYQSVVDEEKNKLQDYLESDIFDSYSVDG 360
Db
        361 EKIRNKEITLINRDAYLSMIYRAQSISEIKTIRADLESLVKSFQNEESDSKVEPESPVKV 420
Qу
            Db
        361 EKIRNKEITLINRDAYLSMIYRAQSISEIKTIRADLESLVKSFQNEESDSKVEPESPVKV 420
        421 EKPVDEEKPKDQKKLVDQSKPESNSKEGWIKKDNKWFYIEKSGGMATGWKKVADKWYYLD 480
Qу
            421 EKPVDEEKPKDQKKLVDQSKPESNSKEGWIKKDNKWFYIEKSGGMATGWKKVADKWYYLD 480
Db
        481 NTGAIVTGWKKVANKWYYLEKSGAMATGWKKVSNKWYYLENSGAMATGWKKVSNKWYYLE 540
Qу
            481 NTGAIVTGWKKVANKWYYLEKSGAMATGWKKVSNKWYYLENSGAMATGWKKVSNKWYYLE 540
Db
```